

राजस्थान सरकार
निदेशालय चिकित्सा स्वास्थ्य एवं परिवार कल्याण सेवायें,
राजस्थान जयपुर

क्रमांक: NRHM/RCH-II/JSY/11/2283

दिनांक: 01/08/11


अधिसाषी निदेशक,

राजस्थान मेडिकल सर्विसेज कॉर्पोरेशन लि.

विषय:—जननी शिशु सुरक्षा कार्यक्रम हेतु प्रसूताओं एवं बीमार नवजात शिशुओं (30 दिवस तक) के लिए राजकीय चिकित्सा संस्थाओं पर ईलाज हेतु दवाईया कय करने बाबत।

उपरोक्त विषयान्तर्गत लेख हैं कि 15 अगस्त 2011 से राजस्थान में भारत सरकार के सहयोग से जननी शिशु सुरक्षा कार्यक्रम का शुभारम्भ किया जा रहा है। जिसमें गर्भवती माताओं एवं बीमार नवजात शिशुओं (30 दिवस तक) को राजकीय चिकित्सालयों में निःशुल्क दवाईया उपलब्ध करायी जायेगी। भारत सरकार से प्राप्त प्रसूताओ एवं बीमार नवजात शिशुओं हेतु आवश्यक दवा की सूची संलग्न कर भिजवायी जा रही है। सूची अनुसार दवाईया कय करने का श्रम करें।

संलग्न:—उपरोक्तानुसार।



निदेशक (आरसीएच)
चिकित्सा एवं स्वास्थ्य सेवायें
राजस्थान, जयपुर

क्रमांक: NRHM/RCH-II/JSY/11/2283

दिनांक: 01/08/11

प्रतिलिपि:—

1. निजी सचिव, प्रमुख शासन सचिव, चिकित्सा स्वास्थ्य एवं प.क. विभाग, शासन सचिवालय, जयपुर।
2. निजी सचिव, मिशन निदेशक—एनआरएचएम, जयपुर।
3. प्रभारी सर्वर रूम।


निदेशक (आरसीएच)
चिकित्सा एवं स्वास्थ्य सेवायें
राजस्थान, जयपुर

Essential Drug List for JANANI SHISHU SURAKHA KARYAKRAM
(For Maternal Health)

Drugs and Consumables for Normal Delivery, C-Section in a Govt. Health Institution

Antenatal Period:	
S. No.	Drugs
1	Tab. Iron Folic Acid- large -Dried Ferrous Sulphate IP eq. to Ferrous Iron 100mg & Folic Acid IP 0.5mg as enteric coated tablets
2	Tab. Methyldopa IP eq. to Methyldopa anhydrous 250mg
3	Cap Nifedipine -Nifedipine IP, 5mg soft gelatine capsule
4	Tab Nifedipine. Nifedipine IP, 10mg
5	Tab Labetalol 100mg
6	Inj Labetalol, 20mg in 2ml ampoule
7	Tab Digoxin-Digoxin IP 250mg/tab
8	Inj Magsulph-Magnesium Sulphate IP 50% w/v; 10ml vials, containing 5.0mg in total volume
9	Tab. Folic Acid IP 400mg
Intra-partum-Normal Delivery:	
S. No.	Drugs
1	Cap Ampicillin-Ampicillin Trihydrate IP eq. to ampicillin 500mg
2	Inj Gentamycin-Gentamycin sulphate IP eq. to gentamycin 40mg/ml; 2ml in each vial
3	Ampicillin Injection-Ampicillin Sodium IP eq. to Ampicillin anhydrous 500mg/vial
4	Cap Amoxycillin-Amoxycilline trihydrate IP eq. to amoxycilline 250 mg
5	Tab. Metronidazole- Metronidazole IP 400mg
6	Tab Nitrofurantoin - IP 100mg
7	Cap Doxycycline-Doxycycline Hydrochloride IP eq. to Doxycycline 100mg
8	Inj Methylergometrine- Methylergometrine maleate IP, 0.2mg/ml;01ml in each ampoule
9	Tab Misoprostol - Misoprostol IP 200 mcg oral/ vaginal
10	Tab Dicyclomine, 500mg oral tab
11	Inj Magnesium Sulphate- Magnesium Sulphate IP 50% w/v; 10ml vials, containing 5.0gm in total volume
12	Inj Oxytocin-Oxytocin IP 5.0 I.U./ ml; 02 ml in each ampoule
13	Inj. Hyoscine Butyl Bromide 20mg in 1ml ampoule
14	Tab Hyoscine Butyl Bromide 500mg
15	Menadione Injection (Vitamin K3) Menadione USP 10mg/ ml;01ml in each ampoule)
16	Compound Sodium Lactate IV Inedction IP (Ringers Lactate) -0.24%V/V of Lactic Acid (eq. to 0.32%w/v of Sodium Lactate). 0.6% w/v Sodium Chloride, 0.04% w/v Potassium Chloride and 0.027%w/v; 500ml in each plastic bottle
17	Sodium Chloride IV Injection-Sodium Chloride IP 0.9%w/v; 500ml in each plastic bottle
18	Dextrose IV Inedction, IP- Dextrose eq. to Dextrose anhydrous 5% of w/v, 500 ml in each plastic bottle
19	Sodium Bicarbonate, IV Injection-Sodium Bicarbonate IP 7.5% w/v; 10ml in each ampoule
20	Sterile Water for injections, I.P-05 ml in each ampoul
21	Inj. Calcium Gluconate, 1 gm, I.V. -10ml amp containing 10% calcium gluconate
22	Tab Drotavarine 500mg
23	Povidone Iodine Ointment, IP containing povidone Iodine, IP 5% w/w; 15g in each tube
24	Inj. Lignocaine Hydrochloride IP 2% w/v; 30ml in each vial for local anaesthesia

<i>Consumables</i>	
1	Absorbent Cotton IP- 1kg/roll
2	Povidone Iodine Solution
3	Disposable examination Gloves Latex free size, 6.0, 6.5, 7.0
4	Surgical gloves sterile BIS size 7.5
5	Hypodermic Syringe for single use BP/BIS, 5 ml, 10ml, 20ml
6	Hypodermic Needle for single use BP/BIS, Gauze 23 and 22
7	Cotton Bandage (as per schedule F-II) Each Bandage of 7.6 cmX 4m
8	Absorbent Gauze
9	Surgical Spirit, B.P. 500ml in each Bottle
10	Infusion Equipment BIS, IV set with hypodermic needle, 21G of 1.5 inch length
11	Intra-cath Cannulas for single use (Intravascular Catheters) BIS size 18, Length-45mm, flow rate 90ml per minute Gauze 22, Length-25mm, flow rate 35ml per minute
12	Chronic Catgut-no.1 on round body needle
13	Cord clamp
14	Mucus Sucker
15	Medicated Soap
16	K-90, Plain Catheter
17	Foleys catheter, 16 No BIS, self retaining catheter
18	Sanitary Napkins (2pkts per case)

Postnatal Period:

<i>Drugs & Consumables</i>	
1	Tab. Iron Folic Acid-large -Dried Ferrous Sulphate IP eq. to Ferrous Iron 100mg & Folic Acid IP 0.5 mg as enteric coated tablets
2	Tab Digoxin - Digoxin IP 250 mg /tab
3	Tab Methyldopa IP eq. To Methyldopa anhydrous 250mg
4	Cap Nifedipine- Nifedipine IP, 5mg soft gelatine capsule
5	Tab Nifedipine, Nifedipine IP, 10mg
6	Tab Labetalol 100mg
7	Inj Labetalol, 20 mg in 2 ml ampoule
8	In. Oxytocin - Oxytocin IP 5.0 I.U. / ml; 02ml in each ampoule
9	Inj Magsulph- Magnesium Sulphate IP 20% w/v; 10ml vials, containing 5.0gm in total volume
10	Hydroxyethyle starch 6%IP - Hydroxyethyle starch 130/04, 6% saline solution for infusion
11	Tab Paracetamol, IP 500mg
12	Tab Ibuprofen 400mg
13	Tab/Cap, Multivitamin
14	Tab Domperidone 10mg
15	Anti D Immunoglobulin -inj Polyclonal Human Anti RhD immunoglobulin 100mg, 300mg

Intra-partum-C-Section:

<i>Drugs</i>	
1	Inj. Metronidazole- Metronidazole IP 5mg/ml: 100ml in each bottle
2	Inj. Gentamycin- Gentamycin Sulphate IP eq. to gentamycin 40 mg/ml; 02ml in each vial
3	Inj. Cefotaxime- Cefotaxime Sodium IP 1 gm per vial
4	Inj. Cloxacillin- Cloxacillin Sodium IP eq. to cloxacillin 500mg/vial
5	Inj. Oxytocin- Oxytocin IP 5.0 I.U. / ml; 02ml in each ampoule
6	Inj. Sensorcain, containing Sensorcain I.P. 0.5mg
7	Inj. Lignocaine Hydrochloride IP 5% w/v; lignocaine hydrochloride 50mg/ml with 7.5% dextrose hyperbaric (heavy), 02ml in each ampoule Hyperbaric for spinal anaesthesia
8	Inj. Lignocaine Hydrochloride IP 2% w/v; 30ml in each vial for local anaesthesia
9	Inj. Promethazine, IP promethazine Hydrochloride 25mg/ml; 2ml in each ampoule
10	Inj. Declorenace, 25mg in 3ml
11	Compound Sodium Lactate IV injection IP (Pingers lactate) - 0.24%v/v of Lactic Acid (eq. to 0.32% w/v of Sodium Lactate), 0.6% w/v Sodium Chloride, 0.04% w/v potassium Chloride and 0.027% w/v Calcium Chloride; 500ml in each plastic bottle
12	Sodium Chloride IV Injection- Sodium Chloride IP 0.9% w/v; 500ml in each plastic bottle

13	Dextrose IV Injection - Dextrose eq to Dextrose anhydrous 5% w/v 500 m in each plastic bottle
14	Inj Soda bicarbonate- Sodium Bicarbonate IP 7.5% w/v; 01 ml in each ampoule
15	Inj. Menadione (Vitamin K3) - Menadione USP 10mg/ ml; 01 ml in each ampoule)
16	Inj. Pentazocine Lactate IP Pentazocine Lactate, IP eq. to Pentazocine 30mg per ml; 1ml in each amp.
	Consumables
1	Absorbent Cotton, IP - 1kg/roll
2	Povidine Iodine Solution
3	Sticking Plaster (Surgical Tape)- 2.5cmX9.10m
4	Hypodermic Syringe for single use BP/BIS, 5 ml, 10ml, 20ml
5	Hypodermic Needle for single use BP/BIS, Gauge 23 and 22
6	Foleys Catheter 16 No BIS, self retaining catheter
7	Infusion Equipment BIS. IV set with hypodermic needle, 21 G of 1.5 inch length Intra cath cannulas for single use (intravascular Catheters) BIS Gauze 18, Length-45 mm, flow rate 90ml per minute Gauze 22. Length-25mm flow rate 35ml per minute Gauze 20, Length 33mm, Gauze 16,
8	Chromic catgut No. 1 on round body needle, No. 2-0 on round body needle
9	Cord Clamp
10	Suction Tube
11	Spinal Needle Disposable Adult as per BIS, 23 Gauge (70-90mm without hub)
12	Medicated Soap
13	K-90 plain Catheter
14	Foleys Catheter 16 No BIS. self retaining catheter
15	Urobag
16	Sponges
17	Cotton Bandage (as per schedule F-II) Each Bandage of 7.6cmX 1m
18	Absorbent Gauze
19	Surgical Spirit, B.P. 500 ml in each bottle
20	Mucus Sucker
21	Mersilk No 2-0. 1-0 on cutting needle
22	Polyglycolic acid, braided, Coated and absorbable, No. 1 on 1/2 circle round body needle
	Miscellaneous Drugs (may be required in some cases of C-Section)
1	Inj. Adrenaline- 0.18%w/v of Adrenaline Tartrate or Adrenaline Tartrate IP eq. to adrenaline 1mg/ml; 01ml in each ampoule
2	Inj. Atropine, IP - Atropine Sulphate IP 600mg/ml; 01 ml in each ampoule
3	Inj. Dopamine- Dopamine Hydrochloride USP 40mg/ml; 05ml in each vial
4	Inj. Bupivacaine - 0.5%IP eq. to Bupivacaine hydrochloride anhydrous 5mg/ml; 20ml in each vial
5	Inj Betamethasone sod. Phosphate, IP Betamethasone 4mg per 1ml in 1ml ampoule
6	Halothane IP, Containing 0.01%w/w thymol IP; 200ml in each Bottles
7	Inj. Thiopentone. Thiopentone 500mg and sodium carbonate (anhydrous)
8	Inj. Vecuronium Bromide. Vecuronium Bromide USP 4mg per ampoule
9	Inj. Ketamine, - Ketamine Hydrochloride Inj.eq. to Ketamine hydrochloride base 10mg/ml; 10ml in each vial
10	Tab Salbutamol - Salbutamol sulphate IP eq. to Salbutamol 4mg
11	Tab Frusemide- Frusemide IP 40mg
12	Tab Diazepam- Diazepam IP 5mg
13	Inj. Diazepam, IP- 10mg in 2ml ampoule
14	Dexamethasone Injection IP, Dexamethasone Sodium Phosphate IP eq. to Dexamethasone Phosphate, 4mg/ml; 02ml in each ampoule
15	Etofillin B plus, Anhydrous Theophylline IP Combination Injection, Etofillin BP 84.7 mg/ml & Theophylline IP eq to Theophylline anhydrous, 25.3mg/ml; 02ml in each

Essential Drug List for Newborn

S.No.	Drugs	
1	Inj. Adrenaline IP	0.18%w/v Adrenaline tartrate or Adrenaline Tartrate IP eq. to adrenaline 1mg/ml; 01ml in each ampoule
2	Inj. Amikacin	Amikacin Sulphate IP eq to Amikacin 100mg per 2ml in vials
3	Inj. Aminophylline IP	Aminophylline IP 25mg/ml in 10hml ampoule
4	Inj. Ampicillin IP	Ampicilline Sodium IP eq. to ampicillin anhydrous 250mg/vial
5	Inj. Calcuum Gluconate IP	10%w/v Calcium gluconate IP in 10ml ampoule
6	Inj. Dopamine	Dopamine 40mg/ml; 05ml in each ampoule
7	Inj. Dextrose IP (I.V. Solution)	Dextrose IP eq. to Dextrose anhydrous 10%w/v; 500ml in each pouch/bottle
8	Inj. Gentamycin IP	Gentamycin Sulphate eq. to Gentamycin 10 mg per ml; 02 ml in each vial
9	Inj. Phenobarbitone IP	Phenobarbitone Sodium IP 100mg/ml; 02ml in each ampoule
10	Inj. Phenytoin BP	Phenytoin Sodium IP 50mg per ml; 02ml in each ampoule
11	Inj. Potassium Chloride	150mg/ml; 10ml in each ampoul
12	Inj. Sodium Bicarbonate Ip	Sodium Bicarbonate IP 7.5%w/v in 10ml Ampule
13	Inj. Sodium Chloride in IP	Sodium Chloride IP 0.9% w/v; 500ml in each pouch/bottle
14	Inj. Sterile water for IP	Each ampoule containing 5ml