

Minutes of the Pre-Bid Meeting - NATIONAL COMPETITIVE BIDDING FOR COMPUTERS

F.2 (499)/RHSDP/EPMC/HMIS/ NCB Dated 13.09.2010

S.No.	Description	Query/Clarification/Suggestion	Response
1	G1. (a) High End Desktop Computer	Mandatory Certification(s):- ISO 9001 Manufacturer, Microsoft Windows, DMI 2.0 compliance and support, Energy Star 5, UL certification. Please exclude DMI 2.0 compliance and support.	Please refer technical specification of G1. (a) High End Desktop Computer (without OS) whereby it has been clearly mentioned the requirement.
		Antivirus:- McAfee /Symantec Anti Virus with 1 years subscription with media and license. Please exclude Media because once you buy license you can download it, hence saving the cost of media pack.	Please refer technical specification G1. (a) High End Desktop Computer (without OS) whereby it has been clearly mentioned the requirement.
2	G1. (b) Low End Desktop Computer	Mandatory Certification(s):- ISO 9001 Manufacturer, Microsoft Windows, DMI 2.0 compliance and support, Energy Star 5, UL certification. Please exclude DMI 2.0 compliance and support.	Please refer technical specification G1. (b) Low End Desktop Computer (without OS) whereby it has been clearly mentioned the requirement.
		Processor:- Intel(R) Core(TM) 2 Duo Processor E7500 (2.93GHz/1066FSB/3ML2 cache) or higher. Please make it E7400 or Higher	Please refer technical specification G1. (b) Low End Desktop Computer (without OS) whereby it has been clearly mentioned the requirement.
		Antivirus:- McAfee /Symantec Anti Virus with 1 years subscription with media and license. Please exclude Media because once you buy license you can download it, hence saving the cost of media pack.	Please refer technical specification G1. (b) Low End Desktop Computer (without OS) whereby it has been clearly mentioned the requirement.
3	G2. (a) Workstation with RHEL STD.:-	Specifications of Workstations seem like Server Specs. Few Points to be noted :- 1. Workstations don't have Redundant Power supply 2. Workstations don't have Redundant Hard drive / bays. 3. Workstations don't have Hot swappable hard drives 4. Workstations don't have Hot swappable bays 5. As workstation is used for "Graphical Intensive Application", hence please include Graphics Card.	Please refer technical specification G2. (a) Workstation with RHEL STD. whereby it has been clearly mentioned the requirement.
4	Bid Opening Clause 27 Envelopes "WITHDRAWAL",	We request you to please clarify the same.	Please refer clause ITB 27 Bid Opening all the provisions have been clearly defined

S.No.	Description	Query/Clarification/Suggestion	Response
	"SUBSTITUTION" & "MODIFICATION"		
5	ITB38.2	<p>The bidder should be a manufacturer who must have manufactured, tested and supplied the equipment(s) similar to the type specified in the 'schedule of requirements' up to at least 200 % of the quantity required in any one of the last 3 years.</p> <p>The bidder should be a manufacturer who must have manufactured, tested and supplied the equipment(s) similar to the type specified in the 'schedule of requirements' up to at least 200 % of the quantity required in SINGLE PURCHASE ORDER any one of the last 3 years. Single purchase order will make more sense otherwise 200% production capacity is very less.</p>	<p>Please refer Section III Evaluation & Qualification Criteria item 3 Post qualification Requirements (ITB 38.2) whereby it has been clearly mentioned the requirement. Please note that the 200% of the quantity is required in any one of the last three calendar years and not in a single purchase order. The above qualification criteria are applicable to lot G1, G2, G3, G4 and G7. For lot no. G5 and G6 a separate qualification criteria has mentioned in the addendum.</p>
6	ITB38.2	<p>The equipments for supply must be strictly as per the Schedule of Requirements and terms & conditions of this bid. We request you to kindly specify the customer segment i.e. State Government in place of Schedule of Requirements and terms & conditions of this bid. Every tender & customer is having it's own specifications and terms conditions</p>	<p>Please refer Section III Evaluation & Qualification Criteria item 3 Post qualification Requirements (ITB 38.2) whereby it has been clearly mentioned the requirement.</p>
7	G1, G2 & G4	<p><u>Eligibility Criteria</u> We request you to kindly add following conditions for minimum eligibility criteria</p> <ol style="list-style-type: none"> 1. Minimum Turnover of the company should be 200 times of estimated cost of the group / project 2. Bidder should be ISO : 9001 & ISO 14001 certified 3. Bidder should have it's own service center at Divisional Headquarter in Rajasthan 4. Bidder should have minimum 100 service engineer on roll (PF No. needs to be provided as a proof) 5. Bidder should have minimum 500 employees on roll (HR Letter needs to be provided as a proof) 6. Bidder should have it's own test and repair centers in Rajasthan. 7. Bidder should provide undertaking for authenticity of equipments. 8. Bidder should have it's own office in Rajasthan from last 3 financial years. 	<p>Please refer ITB clause 16, 17, 18, 19, BDS and Section III Evaluation & Qualification Criteria whereby it has been clearly defined the requirement.</p>

S.No.	Description	Query/Clarification/Suggestion	Response
8	ITB38.2 Additional	We request you to kindly add some minimum qualification criteria for G2 – G7 also.	Please refer ITB clause 16, 17, 18, 19, BDS and Section III Evaluation & Qualification Criteria whereby it has been clearly defined the requirement.
9	Price Schedule	Financial bid format asked for : Column 9 = Column 6 + Column 7 Please clarify whether VAT/CST/Entry Tax will be considered during evaluation financial bid or not	Please refer Section IV Bidding Forms (Price Schedule) and ITB clause 36.4 (a) whereby it has been clearly mentioned that in evaluation of bids will exclude and not take into account the vat, sales and other similar taxes. The RHSDP will provide excise exemption certificate. Therefore the bidders are requested to quote their price excluding excise duty.
10	PRICE AND COMPLETION SCHEDULE - RELATED SERVICES	Price and Completion Schedule - Related Services Please clarify whether these schedule is related to Group G1 to G7	Please refer Section IV Bidding Forms (Price & Completion Schedule- Related Services). The bidders are requested to submit the said from whenever it is applicable for lots G1, G2, G3, G4 and G7. For lot no. G5 & G6 will not be applicable.
11	List of Related Services [ITB Clause 14.6(b)] and Completion Schedule	List of Related Services and Completion Schedule Please clarify whether this list is related to Group G1 to G7	Please refer Section IV Bidding Forms (Price & Completion Schedule- Related Services). The bidders are requested to submit the said from whenever it is applicable for lots G1, G2, G3, G4 and G7. For lot no. G5 & G6 will not be applicable.
12	LIST OF GOODS AND DELIVERY SCHEDULE	As per tender there are Earliest Delivery and latest delivery which is 45 days and 90 days. You are requested to please clarify it Additional - Installation period You are requested to please clarify Installation period.	Addendum to Section VI Schedule of Requirements Point 2. List of Related Services [ITB Clause 14.6(b)] whereby it has been mentioned the instillation time period. The bidder must have submitted the filled form along with its bid.
13	Technical Specification G1 & G2 (a)	Monitor: 18.5" Wide TFT monitor TCO'03 certified. As per latest guidelines. We request you to kindly change TCO'03 certification to TCO'05 certification	Please refer Technical Specification G1 & G2 (a) whereby it has been clearly mentioned the requirement.

S.No.	Description	Query/Clarification/Suggestion	Response
14	Technical Specification G2 (a) Workstation with RHEL Std.	Processor - 1 x Intel Nehalem Architecture Based Xeon Quad Core E5504 (2.0 GHz / 4 MB L3 cache 800 Mhz Qpi bus) We request you to kindly amend it as per technical nomenclature : 1 x Intel Nehalem Architecture Based Xeon Quad Core E5504 (2.0 GHz / 4 MB L3 cache 4.8 GTPS QPI) as per technical nomenclature	Please refer the amended technical specifications of Workstation with RHEL Std. in which the required feature has included. 1 x Intel Xeon E5503 (4M Cache, 2.00 GHz, 4.80 GT/s Intel QPI) or higher
15	G4 (c) Laser Printer	Laser Printer - Minimum Requirement We request you to add following features - Duty Cycle upto 8000 Pages - Processor speed 266 MHz	Please refer G4 (c) Laser Printer whereby it has been clearly mentioned the requirement.
16	G4 (d) Laser Network Multi Function Printer	G4 (d) Laser Network Multi Function Printer We request you to add following features :- - RAM should be upto 128 MB - Processor speed 500 MHz	Please refer G4 (d) Laser Network Multi Function Printer whereby it has been clearly mentioned the requirement.
17	G1. (a) High End Desktop Computer	UL certification UL Certification is limited to certain brands, request you to please change this certification clause to ROHS certified to make the competition healthy and in favour of department.	Please refer G1. (a) High End Desktop Computer Whereby it has been clearly mentioned the requirement.
18	G1. (a) High End Desktop Computer	Intel Core i3 530 or higher The latest core I offering is core i3 540, which is available at same cost.	Please refer G1. (a) High End Desktop Computer Whereby it has been clearly mentioned the requirement.
19	G1. (a) High End Desktop Computer	2 GB DDR3 RAM 1066 MHz Upgradeable up to min. 16 GB Request you to please change the upgradeability to 8 GB	Please refer G1. (a) High End Desktop Computer Whereby it has been clearly mentioned the requirement.
20	G1. (a) High End Desktop Computer	Optical Device Request you to please change it to DVD Writer as an latest offering	Please refer G1. (a) High End Desktop Computer Whereby it has been clearly mentioned the requirement.
21	G1. (b) Low End Desktop Computer	UL certification UL Certification is limited to certain brands, request you to please change this certification clause to ROHS certified to make the competition healthy and in favour of department.	Please refer G1. (b) Low End Desktop Computer Whereby it has been clearly mentioned the requirement.
22	G2. (a) Workstation with RHEL STD.	UL certification UL Certification is limited to certain brands, request you to please change this certification clause to ROHS certified to make the competition healthy and in favour of department.	Please refer G2. (a) Workstation with RHEL STD. Whereby it has been clearly mentioned the requirement.

S.No.	Description	Query/Clarification/Suggestion	Response
23	G2. (a) Workstation with RHEL STD.	Redhat Linux Request you to please clarify whether it is standard Subscription or Premium Subscription - to avoid any confusion and bring all the bids at the same platter	Addendum to G2. (a) Workstation with RHEL STD. Please refer the amended technical specifications of G2. (a) Workstation with RHEL std. in which the required feature has included. Latest RHEL Standard Edition with Three Years premium subscription support.
24	GCC 11	The Supplier shall permit the Bank and/or persons appointed by the Bank to inspect the Supplier's offices and/or the accounts and records of the Supplier and its sub-contractors relating to the performance of the Contract, and to have such accounts and records audited by auditors appointed by the Bank if required by the Bank. The Supplier's attention is drawn to Clause 3, which provides, inter alia, that acts intended to materially impede the exercise of the Bank's inspection and audit rights provided for under Sub-Clause 11.1 constitute a prohibited practice subject to contract termination (as well as to a determination of ineligibility under the Procurement Guidelines).Request for the deletion of this clause. However supplier shall submit the relevant documents relating to this particular contract upon written request by the Bank.	The General Conditions of Contract (GCC) are the part of standard bidding document. The clauses in GCC cannot be changed or amend.
25	GCC 24.1	The insurance shall be paid in an amount equal to 110 percent of the CIF or CIP (EXW for Goods supplied from within the country) value of the Goods from "Warehouse to warehouse (final destination)" on "All Risks" basis including War Risks and Strikes, valid for a period not less than 3 months after installation and commissioning and issue of acceptance certificate by the purchaser. The beneficiary would be Purchaser for such All Risks insurance.	The General Conditions of Contract (GCC) are the part of standard bidding document. The clauses in GCC cannot be changed or amend.
26	To Add	Customer hereby agrees to make the site ready as per the agreed specifications, within the agreed timelines. Customer agrees that Wipro shall not be in any manner be liable for any delay arising out of Customer's failure to make the site ready within the stipulated period, including but not limited to levy of liquidated damages for any delay in performance of Services under the terms of this Agreement.	Please refer GCC & SCC clause 27.1 for Liquidated Damages whereby it has been clearly mentioned the Liquidated Damages.
27	To Add	Any Deliverable(s) / Work Product(s) provided to the Customer shall be deemed to have been accepted if the customer puts such Deliverable(s) / Work Product(s) to use in its business or does not communicate its disapproval of such Deliverable(s) / Work Product(s) together with reasons for such disapproval within 10 days from the date of receipt of such	Please refer Section VI Schedule of Requirements point no.5 Inspection & Test whereby it has been clearly defined the requirements.

S.No.	Description	Query/Clarification/Suggestion	Response
		Deliverable(s) / Work Product(s).	
28	To Add	The maximum aggregate liability of the Vendor shall not exceed the PO value. All indirect and consequential damages under this Agreement are excluded. Except for the warranties and representations expressly stated herein, Vendor hereby excludes all implied and statutory warranties	Please refer GCC clause 28.1 to 28.6 & SCC clause 28.3, 28.5, 28.7.1, 28.7.2, 28.7.3 whereby it has been clearly defined the warranty conditions.
29	To Add	Subject to the limits of liability set forth herein, in regard to performance under this Agreement each party (the "Indemnifying Party") shall defend, indemnify, and save harmless the other party (the "Indemnified Party") and its officers and directors, employees, agents, and representatives from and against any losses, damages, costs, attorneys' fees, penalties, fees, liabilities, or expenses (collectively, "Losses") associated with any third party claim against the Indemnified Party connected with (i) death, or (ii) injury to persons or property, in each case resulting from the acts or omissions of the Indemnifying Party, its employees, agents or contractors.	Please refer GCC 30 for Limitations of Liability. The General Conditions of Contract (GCC) are the part of standard bidding document. The clauses in GCC cannot be changed or amend.
30	To Add	The risk, title and ownership of the products shall be transferred to the customer upon dispatch of such products to the customer	Please refer the clauses of GCC and SCC of standard bid document whereby it has been clearly mentioned the requirement.
31	To Add	Wipro's failure to perform its contractual responsibilities, to perform the services, or to meet agreed service levels shall be excused if and to the extent Wipro's non-performance is caused by Company's omission to act, delay, wrongful action, failure to provide Inputs, or failure to perform its obligations under this Agreement.	Please refer the clauses of GCC and SCC of standard bid document whereby it has been clearly mentioned the requirement.
32	To Add	Customer acknowledges that personnel to be provided by Wipro represent a significant investment in recruitment and training, the loss of which would be detrimental to Wipro's business. In consideration of the foregoing, Customer agrees that for the term of this Agreement and for a period of one year thereafter, Customer will not directly or indirectly, recruit, hire, employ, engage, or discuss employment with any Wipro employee, or induce any such individual to leave the employ of Wipro. For purposes of this clause, a Wipro employee means any employee or person who has who has been involved in providing services under this Agreement.	Please refer the clauses of GCC and SCC of standard bid document whereby it has been clearly mentioned the requirement.

S.No.	Description	Query/Clarification/Suggestion	Response
33	To Add	Since Wipro is acting as a reseller of completed products, Wipro shall "pass-through" any and all warranties and indemnities received from the manufacturer or licensor of the products and, to the extent, granted by such manufacturer or licensor, the Customer shall be the beneficiary of such manufacturer's or licensor's warranties and indemnities. Further, it is clarified that Wipro shall not provide any additional warranties and indemnities with respect such products.	Please refer the clauses of GCC and SCC of standard bid document whereby it has been clearly mentioned the requirement.
34	G3 A, B, C	You have allow to individual quote for SL No. G3 A, B, & C, for online & offline Ups system for who can eligible quote price for offline ups or online ups	Please refer ITB clause 36.3(a) and BDS whereby it has been clearly mentioned the requirement. There are 7 lots and the bidder has option to quote any number of lots and the bids will be evaluated each lot separately.
35	G3 A, B, C	You have to do individual Evaluation of ups Price Quote for SL no. G3-A, B, & C. For who can eligible of L-1 in A, B, and C and get the order as per A, b & c L-1	Please refer ITB clause 36.3(a) and BDS whereby it has been clearly mentioned the requirement. There are 7 lots and the bidder has option to quote any number of lots and the bids will be evaluated each lot separately.
36	G3. (b) UPS for Server Room online (10 KVA) & G3. (C) UPS for Network Racks Online (1 KVA)	You please mention Ah & Vah, No. Off Battery for battery Back-up in tender	Addendum to G3. (b) UPS for Server Room online (10 KVA) & G3. (C) UPS for Network Racks Online (1 KVA) Please refer the amended technical specifications of G3. (b) UPS for Server Room online (10 KVA) & G3. (C) UPS for Network Racks Online (1 KVA) in which the required feature has included. 10 KVA Online UPS: at least 24000 VAH 1 KVA Online UPS: at least 1512 VAH
37	G3	You can remove non-standard Battery Make from tender like sunshine, prostar,	Please refer technical specification of item G3 whereby it has been clearly mentioned the requirement.
38	9	Tender Document can also be viewed at our website http://rajswasthya.nic.in & www.rhsdp.org and is meant for inspection. The renderers intending to participate in the Bidding process should purchase the Bid document from Project office as mentioned above. No downloaded document will be accepted. As per the clause No	Please refer IFB point no. 9 where by it has been clearly defined the cost of bidding document. No downloaded document will be accepted.

S.No.	Description	Query/Clarification/Suggestion	Response
		downloaded document will be accepted. We request you to please allow downloaded tender document with non refundable fee of Rs. 2000/- Demand Draft as tender cost with the submission of bid.	
39	ITB 36.3 (a)	<p>Bids will be evaluated lot by lot. There are seven lots of equipment provided in the bid document and Bidder should quote for the complete requirement for goods and services specified in each lot (G1 to G7) as stated in ITB clause 14.8 failing which such bids will be treated as non-responsive. Bidder is permitted to quote for any number of lots and bids will be evaluated for each lot separately. As per the Clause bid is to be submitted for Seven lots of equipment's provided in the bid document and bidder is permitted to quote for any number of lots and bids will be evaluated for each lot separately. This will involve no. of bidders in the execution of the project.</p> <p>In this regard we suggest to execute this project as a Turnkey Project by amending the terms & condition. So that the project will be execute by a single bidder which will improve the quality of the project execution leading to effective operation and maintenance.</p> <p>Also as per our understanding and current scenario it is difficult to get competitive bids in each category.</p>	Please refer ITB clause 36.3(a) and BDS whereby it has been clearly mentioned the requirement. There are 7 lots and the bidder has option to quote any number of lots and the bids will be evaluated each lot separately.
40	17	The Supplier shall be entirely responsible for all taxes, duties, license fees, etc., incurred until delivery of the contracted Goods to the Purchaser. As per the clause bidder is responsible for all taxes, duties, license fees etc. kindly clarify whether Form - "C" will be issued or not?	Form C will not be issued.
41		Schedule of Requirement. We request you to please allow to accept more than one option in each product category which will help in selection of qualitative products.	Bidders are allowed to quote more than one option in each product. But the product shall meet the desire technical specifications.
42	G2. (a) Workstation with RHEL STD.	"Min. 2 PCI express" written in Workstation specification. it would be min. 2 free PCI express slot	Addendum to G2. (a) Workstation with RHEL STD. Please refer the amended technical specifications of G2. (a) Workstation with RHEL std. in which the required feature has included. PCI Slots: Min. 2 free PCI express
43	G2. (b) Workstation Rack with KVM switch	42U Rack 600X1000 mm with front glass door, rear MS steel door, Vertical Cable Manager (1), fan tray with 04 fans or higher (1), 720mm depth heavy duty shelf (1), Keyboard Tray (1), 10 socket vertical PDU (1), with KVM Switch for two workstations, On site comprehensive warranty for 3 yrs.	Please refer G2. (b) Workstation Rack with KVM switch whereby it has been clearly mentioned the requirement.

S.No.	Description	Query/Clarification/Suggestion	Response
		while using KVM switch workstation does not require monitor Kbd, Mouse only Rack mountable/ Foldable, 17" LCD monitor, integrated with Keyboard & pointing device would be sufficient	
44	G3	Please add on OE's own battery e.g. Su-KAM also has his own Battery	Please refer technical specification of item G3 whereby it has been clearly mentioned the requirement.
45	G3. (b) UPS for Server Room online (10 KVA)	Kindly clear UPS Category in 10 KVA Please Clarify 1 PHASE to 1 PHASE, 3 PHASE to 1 PHASE, 3 PHASE to 3 PHASE	Addendum to G3. (b) UPS for Server Room online (10 KVA) Please refer the amended technical specifications of G3. (b) UPS for Server Room online (10 KVA) in which the required feature has included. Input Three Phase, Output Single Phase
46	G3	Kindly consider one yr, Warranty for UPS Batteries as these are SMF batteries designed as per cyclic life and supply has to be given in 9 various areas.	Warranty as specified in the technical specifications of item G3 and the respective clauses of the bid document.
47	G3. (a) UPS for Desktops: UPS 800 VA Offline (30 minutes)	Please change it to 1000VA LI UPS (ITON 1000) with 30 minutes backup on 1 PC. Battery make: SB/amco/exide/amron/panasonic/HBL/ and reputed. All standard UPS manufacturing / trading companies are having 600VA line interactive with 7 ah 1 no inbuilt SMF Battery, 1000 va line interactive UPS with 7 ah 2nos inbuilt SMF Batteries	Please refer G3. (a) UPS for Desktops: UPS 800 VA Offline (30 minutes) whereby it has been clearly mentioned the requirement.
48	G3. (b) UPS for Server Room online (10 KVA with 2 hrs BB)	10 KVA S400D Efficiency: 85% with inbuilt isolation transfer maximum efficiency is 85%.	Please refer G3. (b) UPS for Server Room online (10 KVA with 2 hrs BB) whereby it has been clearly mentioned the requirement.
49	G3. (c) UPS for Network Racks online (1 KVA with 1 hr.)	1 KVA (GXT 1KVANT+): Voltage Regulation: +/- 2%; Isolation transformer shall be at input/output of UPS	Please refer G3. (c) UPS for Network Racks online (1 KVA with 1 hr.) whereby it has been clearly mentioned the requirement.
50	3(b)	(I) bids of bidders quoting as authorized representative of a computer manufacturer, meeting with the above requirement in full, can also be considered provided. (II) The bidder, as authorized representative, has supplied, installed, commissioned and provided after sales satisfactorily for at least 80% of the quantity similar to the type specified in the schedule of requirements in	Please refer Section III Evaluation & Qualification Criteria point no.3 Postqualification Requirements (ITB 38.2) whereby it has been clearly mentioned the requirement.

S.No.	Description	Query/Clarification/Suggestion	Response
		any one o the last three years which must be in satisfactory operation for at least 6 months on the date of bid opening and must be providing annual maintenance services for the above computer installations in about 25 centers in the country for over one year- Kindly elaborate " similar to the type specified in the schedule of requirement" along with making the amendment of last five years instead of the last three years. Apart from the above kindly also make the amendment that the bidder must be providing annual maintenance services for the above computer installations in about 25 centers in the country for over 6 months.	
51	G4	Major laser Printers original Equipment Manufacturer Companies like HP/Canon/ Samsung etc. are not in DMP category & they manufacture only Laser Printers & Major DMP original Equipment Manufacturer Like TVSE/Wipro etc. are not in Laser printers category and apart from that Dealers/Distributors are eligible only for exclusively for one company product line up in this tender & if they quote than they are unable to provide 3 years warranty/services in remote areas, which only Original Equipment Manufacturer can provide.	Please refer ITB clause 36.3(a) and BDS whereby it has been clearly mentioned the requirement. There are 7 lots and the bidder has option to quote any number of lots and the bids will be evaluated each lot separately.
52	G4 (d) Laser Network Multi Function Printer	In category (D) Speed: up to 22 PPM is not clear it may be 15 +.	Addendum to G4 (c) & G4 (d) Please refer the amended technical specifications of G4 (c) Laser Printer & G4 (d) Laser Network Multi Function Printer in which the required feature has included. In G4 (c) Laser Printer Print Speed: 21 ppm (A4) or higher Print Resolution: 600*600 dpi or higher In G4 (d) Laser Network Multi Function Printer Print Speed: 22 ppm (A4) or higher Print Resolution: 600*600 dpi or higher Duty cycle (monthly): 8000 pages or higher
53	G4 (d) Laser Network Multi Function Printer	In category (D) Print/Copy/Scan paper size is not clear because usually network printers are A-3 Size.	Please refer G4 (d) Laser Network Multi Function Printer whereby it has been clearly mentioned the requirement.
54	G4 (d) Laser Network Multi Function Printer	Most of the places your Departments are already equipped with fax machines/Internet facility i.e. Scan to Fax/e-mail & with the attachment of this Fax feature you cost will go high & also you have to provide telephone line with each network printers, which has no use of this faculty.	Please refer G4 (d) Laser Network Multi Function Printer whereby it has been clearly mentioned the requirement.

S.No.	Description	Query/Clarification/Suggestion	Response
55	G5. DG Set for Server Room 15 KVA	In Column of Technical Specification yourself mention four cylinder engine. We would like of most of the many manufacture are manufacturing generating with two or three cylinder & we are also providing with genset with Two cylinder & cylinder & 24 BHP of power.	Addendum to G5. DG set for server room 15 KVA Please refer the amended technical specifications of G5 DG Set for Server Room 15 KVA specification in which the required feature has included.
56	G5. DG Set for Server Room 15 KVA	As you mention in your eligibility criteria that DG set providing should be manufacture. Instead of Dealer or Distributor.	The vendor may be manufacture/dealer/distributer of DG set
57	G5. DG Set for Server Room 15 KVA	Installation & commissioning: There are no contents found in the technical spec. regarding installment of D.G. set. We will would like to quote are prices with following contain. (a)Earthing-4no. (b) Cabling-4core, AI Armed.	Addendum to G5. DG Set for Server Room 15 KVA Please refer the amended technical specifications of G5 DG Set for Server Room 15 KVA specification in which the required feature has included.
58	G5. DG Set for Server Room 15 KVA	In your tender you have asked for supply of 15 KVA silent DG set with - 4 cylinder 22 BHP engine – We request you to please amend the above to read as: 15 KVA silent DG set with suitable multi cylinder diesel engine fitted with class A1 Governing system, developing minimum 22 BHP @ 1500 RPM (as different manufacturer have different design of engines but BHP required for developing 15 KVA is same i:e 22).	Addendum to G5. DG Set for Server Room 15 KVA Please refer the amended technical specifications of G5 DG Set for Server Room 15 KVA specification in which the required feature has included.
59	G5. DG Set for Server Room 15 KVA	In your tender you have not clarified the type of Alternator required by you. Please note that at present all the reputed manufacturer of DG sets are supplying silent DG sets with "DRUSHLESS SINGLE BEARING" type alternator as these are more reliable, efficient & requires very less maintenance. (As compared to SLIP RING type long Coupled alternators which are of old design & generally not in use now except in agriculture field.) Hence please specify in your tender that DG set should be supplied with - "15 KVA Brushless single bearing type three phase alternators".	Addendum to G5. DG Set for Server Room 15 KVA Please refer the amended technical specifications of G5 DG Set for Server Room 15 KVA specification in which the required feature has included.
60	G5. DG Set for Server Room 15 KVA	In your tender you have mentioned that DG set is required with "AMF" Panel. We bring to your kind notice that it will be better if Scope of supply of AMF panel is specified to enable all bidders to quote uniformly. In absence of this clarification different bidders will offer different options & it will be difficult to asses the bids. We are enclosing herewith the Specification of AMF panel for your doing the needful.	Addendum to G5. DG Set for Server Room 15 KVA Please refer the amended technical specifications of G5 DG Set for Server Room 15 KVA specification in which the required feature has included.

S.No.	Description	Query/Clarification/Suggestion	Response
61	G5. DG Set for Server Room 15 KVA	<p>Intallation & Commissioning: - Kindly specify the scope of installation & Commissioning for the DG set. It is for your information that for installation of DG set following works are required to be done at site :-</p> <ol style="list-style-type: none"> Providing level floor & foundation bed of (size 8' x 5') of plain cement concrete type for placing the DG Set. Providing 4 nos earthing pits (with GI earth plates) as per Govt. rules. Providing GI earth strip (25x3) mm between DG set & earth stations. Providing 25 Sq mm A1 armoured 3.5 core cable of suitable length. Providing by Pass change over switch of 63 Amp, 4 Pole. Arranging testing. <p>Please clarify the above in your tender documents. The detailed specifications & scope of the Complete DG Set is attached for your reference.</p>	Addendum to G5. DG Set for Server Room 15 KVA Please refer the amended technical specifications of G5. DG Set for Server Room 15 KVA specification in which the required feature has included.
62	Commercial Terms	<p>Exemption of excise Duty :- We are an excise registered Manufacturing unit based in Jaipur & are charging Ex duty @ 10.3% on DG set as per central Excise rules. Kindly confirm that you are eligible for availing "Excise duty" rebate to enable us to consider the same while quoting. Please also provide us copy of letter / ruling vide which exemption has been granted to you so that we can seek opinion from our Excise Advisor about our eligibility to pass on the necessary benefit to you.</p>	RHSDP will provide excise duty exemption certificate. The bidders are supposed to quote their price excluding excise duty.
63	Commercial Terms	<p>(EMD / BID Security :-</p> <ul style="list-style-type: none"> Please confirm if earnest money is exempted for small scale industry of Rajasthan. If not then. Please confirm if Bid security of Rs. 72000/- can be furnished by Bankers Cheque in favor of "Project Director" Rajasthen Health System Development Project, Jaipur. 	Please refer ITB clause 21.1 and BDS whereby it has been clearly mentioned the requirement.
64	Commercial Terms	<p>BID Submission :- For the sake of clarification please confirm if bid is to be submitted in two envelopes. Envelope 1st containing Bid security and original tender documents & specifications of material offered & Envelope 2nd containing "Price Bid". Further both the above envelope are to be kept in one Single envelope & submitted to you before the due date.</p>	It is accepted.
65	Commercial Terms	Kindly clarify the "Details" required to be filled by us in table provided on page 46 of tender documents. (Namely Price & Completion Schedule -	Please refer Section IV Bidding Forms (Price & Completion Schedule- Related Services).

S.No.	Description	Query/Clarification/Suggestion	Response
		Related Service)	The bidders are requested to submit the said from whenever it is applicable for lots G1, G2, G3, G4 and G7. Please note that the description of services has been clearly defined in it.
66	Section II Bid Data Sheet ITB 21.1 clause	(a) Bid shall include a Bid Security (issued by bank) included in Section IV Bidding Forms;	Addendum to Section II Bid Data Sheet clause 21.1 ITB : (a) Bid shall include a Bid Security (issued by bank) included in Section VI Bidding Forms;
67	Section VIII SCC clause GCC 16.1	Terms of Payment	Addendum to payment terms SCC clause GCC 16.1: GCC 16.1 Payment shall be made in Indian rupees in the following manner: (i) <i>Advance Payment</i> : Ten (10)% of the total contract price shall be paid within thirty (30) days of signing of Contract and upon submission of claim / against a simple receipt and a bank guarantee for the equivalent amount valid until the goods are delivered and in the form provided in the bidding documents or another form acceptable to the Purchaser. (ii) <i>On Delivery</i> : Seventy (70)% of the contract price shall be paid on receipt of Goods and upon submission of the documents specified in Clause 13 of SCC; and (iii) <i>On Final Acceptance</i> : the remaining twenty (20)% of the Contract Price shall be

S.No.	Description	Query/Clarification/Suggestion	Response
			<p>paid within thirty (30) days after the date of the Acceptance Certificate issued by the Purchaser's representative in the proforma given in Section VI</p> <p>The above payment terms are applicable for lots G1, G2, G3, G4 and G7. For lots G5 and G6 a separate payment terms has mentioned in the addendum.</p>
68	Section VI Bidding Forms Price Schedule	Price Schedule	RHSDP will issue excise exemption certificate. Bidders are supposed to quote their price excluding excise duty.
69	For item G5. DG Set for Server Room 15 KVA	Please amend the conditions of bid document.	Please refer Addendum for item G5. DG Set for Server Room 15 KVA which is attached herewith.
70	For item G6 Computer Table and Computer Chair	Please amend the conditions of bid document.	Please refer Addendum for item G6 which is attached herewith.