


राजस्थान सरकार
निदेशालय, चिकित्सा एवं स्वास्थ्य सेवायें, राजस्थान, जयपुर
क्रमांक: आई.डी.एस.पी./2021/199 दिनांक: 28/04/21

समस्त संयुक्त निदेशक,
समस्त प्रधानाचार्य एवं नियंत्रक, मेडिकल कॉलेज,
समस्त अधीक्षक, संलग्न चिकित्सालय,
समस्त मुख्य चिकित्सा एवं स्वास्थ्य अधिकारी,
समस्त प्रमुख चिकित्सा अधिकारी,
राजस्थान।

विषय:- वयस्क कोविड-19 रोगियों के प्रबन्धन हेतु चिकित्सकीय दिशा-निर्देश।
संदर्भ:- वयस्क कोविड-19 रोगियों के प्रबन्धन हेतु भारत सरकार द्वारा दिनांक 22 अप्रैल
2021 को जारी चिकित्सकीय दिशा-निर्देश।

उपरोक्त विषयान्तर्गत वयस्क कोविड-19 रोगियों के प्रबन्धन हेतु भारत सरकार द्वारा
दिनांक 22 अप्रैल 2021 को जारी चिकित्सकीय दिशा-निर्देश संलग्न कर लेख है कि उपरोक्त
दिशा-निर्देशों के अनुसार कोविड-19 रोगियों का उपचार किया जाना सुनिश्चित करें।



निदेशक (जन स्वास्थ्य)
चिकित्सा एवं स्वास्थ्य सेवायें,
राजस्थान, जयपुर

क्रमांक: आई.डी.एस.पी./2021/199

दिनांक:- 28/04/21

प्रतिलिपि निम्न को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित है:-

1. निजी सचिव, शासन सचिव, चिकित्सा एवं स्वास्थ्य विभाग, राजस्थान, जयपुर।
2. निजी सचिव, शासन सचिव, चिकित्सा शिक्षा, राजस्थान।
3. निजी सचिव, निदेशक (जन स्वास्थ्य), मुख्यालय।
4. अतिरिक्त निदेशक (ग्रा0स्वा0), मुख्यालय।
5. नोडल अधिकारी (आईडीएसपी), मुख्यालय।
6. समस्त संभागीय प्रभारी अधिकारी मुख्यालय।
7. समस्त प्रधानाचार्य नियंत्रक समस्त मेडिकल कॉलेज, राजस्थान।
8. समस्त अधीक्षक, मेडिकल कॉलेज संलग्न चिकित्सालय, राजस्थान।
9. समस्त उप मुख्य चिकित्सा एवं स्वास्थ्य अधिकारी, राजस्थान।
10. प्रभारी सर्वर रूम को संबंधित को ई-मेल एवं वेबसाइट पर अपलोड करने बाबत।
11. कार्यालय प्रति।


निदेशक (जन स्वास्थ्य)
चिकित्सा एवं स्वास्थ्य सेवायें,
राजस्थान, जयपुर




AIIMS/ ICMR-COVID-19 National Task Force/Joint Monitoring Group (Dte.GHS)

Ministry of Health & Family Welfare, Government of India

CLINICAL GUIDANCE FOR MANAGEMENT OF ADULT COVID-19 PATIENTS

22nd April 2021



- *High-risk for severe disease or mortality**
- ✓ Age > 60 years
 - ✓ Cardiovascular disease, hypertension, and CAD
 - ✓ DM (Diabetes mellitus) and other immunocompromised states
 - ✓ Chronic lung/kidney/liver disease
 - ✓ Cerebrovascular disease
 - ✓ Obesity

EUA/OFF label use (based on limited available evidence and only in specific circumstances):

- > **Remdesivir (EUA)** may be considered **ONLY** in patients with
 - Moderate to severe disease (requiring **SUPPLEMENTAL OXYGEN**), AND
 - No renal or hepatic dysfunction (eGFR < 30 ml/min/m²; AST/ALT > 5 times ULN (Not an absolute contradiction), AND
 - Who are within 10 days of onset of symptom/s.
 - ◆ Recommended dose: 200 mg IV on day 1 f/b 100 mg IV OD for next 4 days.
 - Not to be used in patients who are NOT on oxygen support or in home settings
- > **Tocilizumab (Off-label)** may be considered when **ALL OF THE BELOW CRITERIA ARE MET**
 - Presence of severe disease (preferably within 24 to 48 hours of onset of severe disease/ICU admission).
 - Significantly raised inflammatory markers (CRP &/or IL-6).
 - Not improving despite use of steroids.
 - No active bacterial/fungal/tubercular infection.
 - ◆ Recommended single dose: 4 to 6 mg/kg (400 mg in 60kg adult) in 100 ml NS over 1 hour.
- > **Convalescent plasma (Off label)** may be considered **ONLY WHEN FOLLOWING CRITERIA ARE MET**
 - Early moderate disease (preferably within 7 days of symptom onset, no use after 7 days).
 - Availability of high titre donor plasma (Signal to cut-off ratio (S/O) ≥ 3.5 or equivalent depending on the test kit being used).